



INTERNATIONAL SUPPLIER FOR HOSPITALITY INDUSTRY

# We serve...

We serve, to the Hospitality Industry together with our Worldwide Distributors. AEB Hotel Equipments manufactures and exports it's hotel equipment products worldwide.

We offer wide product selection and it is growing. Our goal is to get you exactly what you want.

Each product has got a catalogue number and please let us know catalogue numbers when you will need price, information, shipping details etc.


We will treat you respectfull, honest, speedy, accurate, friendly manner. Like a real person, not just a letter in the e-mails or a voice over the phone.

We speak same language... You can reach us for all of your questions from;



Tel: + 90 533 725 34 10 e-mail: info@otelyx.com www.otelyx.com







TT Consulting	06
Hotel Furniture	08
Wood Door	12
Fire Door	13
Advertisement	14
Minibar	15
Hotel TV	16
Hotel IPTV	17
DND-Plus	18
S-Power	19
S-Lock	20
Key Cards	21
Mirror TV	22
Bathroom	24
Carpet	25
Hardware	26
Air Conditioner	28
Digital Signage	29
Guest Amenities	30
Teleadapt	44
Wood Welcome Tray	46
Coffee Automat	46
TV Lift	47
Dorma	48
Partition	50
Service Equipments	51
Shelve	58
Cold Room	59
Minibar	60
Outdoor Furniture	62
Viko Switches	65
Vitra	66
Hotel Textile	68

# AEBT CONSULTING

#### TT Consulting

#### **T&T CONSULTING**

#### Company

T&T Consulting, a full service hotel business development company, is recognized for its long term business commitment to clients. The company is headquartered in Germany and is represented by a affiliate company Thiele Turizm Danismanlik in Turkey with it's offices in Istanbul and Antalya. AEB is affiliate company of T&T consulting.

#### Clients

Our clients are from various sectors and of various sizes, from sole traders and small owner-managed companies, through to multinational organizations and some of Turkey's and international leading companies which all are at the same time tourism investors. We have long term experience in the hospitality and tourism industry. As a medium-sized company we are ideally positioned to serve your needs. Our clients can draw on the national and international experience of our consultants who each have particular knowledge and experience in specialized business disciplines, while retaining the personalized service and approach of a smaller practice that is tailor made but efficient.

#### **Culture Statement**

We understand our company as a professional service provider which, on the basis of know-how and the experience of our highly-qualified employees, is dedicated to deliver custom-made services in close cooperation with its clients. We are committed to qualify service and are competitive and ambitious.

#### **T&T CONSULTING REFERENCES**

Kemer Golf & Country Club, Istanbul Turkey www.kemercountry.com Kemer Yapi Ltd., Istanbul Turkey / Development Consulting

Ilica Hotel, Cesme Turkey www.ilicahotel.com Anadolu Holding, Istanbul Turkey / Concept Design Consulting Services

Sirene Golf Hotel, Belek-Antalya Turkey www.sirenegolfhotel.com Akkanat Holding Istanbul Turkey / Change Management, Re-Branding

Antalya Golf Club, Belek-Antalya Turkey www.antalyagolfclub.corn.tr Akkanat Holding, Istanbul Turkey / Change Management, Branding

Sirene Davraz Mountain Resort, Isparta Turkey www.sirenegolfhotel.com Akkanat Holding, Istanbul Turkey / Project Concept Consulting Services

Justiniano Hotels, Turkey www.justinianohotels.com Gül group of companies, Ankara Turkey / Management Consulting, Branding

Wish Hotels, Turkey www.wish-hotels.com Büyükhanlı Holding, İstanbul Turkey / Management Consulting, Branding

#### International Hotel Brands

Kempinski Hoteliers since 1897 Banyan Tree Hotels & Resorts Oberoi Hotels & Resorts Hilton International Marriott Hotels & Resorts Intercontinental Hotels Group Starwood Hotels & Resorts Mövenpick Hotels& Resorts Wyndham Hotels & Resorts TUI Hotels Club Robinson Iberostar

#### SERVICES

#### Consultancy

Investment Consulting Market Research Corporate Finance Development Consulting Project Consulting

#### Design

Architectural Design Guidance Interior Design Guidance M&E Design and Planning Guidance Construction

#### Contracting

Project Coordination Project Management

#### Management

Hotel Management Start-up Management Marketing & Sales Mystery Shopping

#### Human Resources

Search & Recruitment Management Training Staff Training



Salto The Resort Cesme 90 Rooms 5 Star Resort Development Project Consulting



Crowne Plaza Hotel, Antalya 190 Rooms 5 Star Hotel Development Project Consulting



Grand Hotel Prishtina Kosova 230 Rooms 5 Star Bussines Hotel Development Project Consulting

# AEB IT CONSULTING

#### TT Consulting



Absheron Hötel, Azerbajcan 260 Rooms 5 Star Deluxe Hotel Market Research & Feasibility Study



City Group Astana Kazakhstan Hotel Residence Bussines Center And Shopping Mall Market Research & Branding



Holiday Inn Tbillisi Georgia 210 Rooms 4 Star City Hotel Project Management Start-Up Management Development



Holiday Inn Moscow 190 Rooms 4 Star City Hotel Development Consulting




Eroglu Yapi 250 Rooms 5 Star Hotel Development Consulting Branding



Delta Construction 250 Rooms 5 Star Hotel Development Consulting Branding



Ramada Piaza Hotel, Antalya 260 Rooms 5 Star Bussines Hotel Development Project Consulting Start-Up Management



Banyan Tree Resort Hotel Bodrum Boutique Hotel Development Consulting



Holiday Inn Sisli Istanbul 168 Rooms 4 Star Hotel Development Project Consulting Start-Up Management

# AE HOTEL FURNITURE

### AEB is manufacturing all kind of hotel furnitures with available project or project by the AEB Design Team.

Headboards, Minibar units, coffee tables, siting groups, bedstands, bar counters, LCD TV units, make up tables and mirrors cabinets and wardrobes. This are made by natural coatings or artificial coatings.










430.001 Guest Room Furnitures







430.006 Common Areas Doors



430.009 Meeting Halls Furnitures



430,004 Guestroom bath furnitures



430.007 Business Center furnitures



430.010 Lobby Furnitures and Sofas



430.005 Reception Desks




430.008 Restaurant Tables and Chairs,



430.011 Office Furnitures

# AFB HOTEL FURNITURE

### **AEB Hotel Furniture**



# AE HOTEL FURNITURE

### **AEB Hotel Furniture References**



Open Buffet



Open Buffet



Open Buffet




Open Buffet



Open Buffet



Open Buffet



Corinthia Hotel Guestroom furnitures



Corinthia Hotel Bathroom



Corinthia Hotel Guestroom furnitures



Corinthia Hotel Guestroom furnitures



Corinthia Hotel Spa



Corinthia Hotel Spa

# A B HOTEL FURNITURE

### **AEB Hotel Furniture References**



Corinthia Hotel Spa



Corinthia Hotel Spa



Corinthia Hotel Spa



Otium Hotel Restaurant



Otium Hotel Restaurant




Otium Hotel Restaurant



Otium Hotel Restaurant



Otium Hotel Outdoor



Otium Hotel Entrance



Otium Hotel Guestroom




Otium Hotel Guestroom




Otium Hotel Lobby Bar

# AR DOOR

## **AEB Wooden Composite Doors**





#### SASH WIDTH MEASUREMENT

Top Hinge

Sash Measurements	Freme Auther Measurements	70 mm Cornice Outher Measurements	100 mm Cornice Outher Measurements
A	C	E	E
650	705	826	856
700	755	876	906
750	805	926	956
800	855	976	1006
850	905	1026	1056
900	955	1076	1106

#### SASH LEGHT MEASUREMENT

Sash Measurements	Freme Auther Measurements	Outher	100 mm Cornice Outher Measurements	
E	H	G	G	
2030	2067	2127	2157	Max.
1950	1987	2047	2077	Min.

#### FRAME WIDTH MEASUREMENT

_				
	Wall Thickness	Frame Thickness Min.	Frame Thickness Max.	
	70	70	90	
	100	100	120	
	120	120	140	
	140	140	160	
Г	160	160	180	
Г	180	180	200	
Г	200	200	220	

Door Frame Fixing Measurements

# AB DOOR

# **AEB Fire Rated Doors**









524.002

# A EB ADVERTISEMENT

# **Advertising Production**

















DESCRIPTION	
All Printed Materials Design&Producing (Catalogue/ Leaflet / etc.)	440.001
Hotel Multi-Media Introduction CD	440.002
Hotel Advertisement Movie & Photography	440.003
Hotel Web Design	440.004
Indoor-Outdoor Advertisement Materials	440.005

### **AEB Minibar**



















# AEB HOTELTV

### **AEB Hotel LCD TV**

**FULL HD 1080** 



#### HD ready

- HD Ready, 1080i/720p (50/60 Hz) Compatible
- 1 Tuner PIP
- Stereo
- · Multi System Reception
- Fast Text

- 1 HDMI
- PC Input
- · 2 Scarts
- Cabin: Steam Injection (piano black)
- Child Lock, Digital Clock, Remote Controller

Note: All Specifications are subject to change without any prior notice



#### FHD

- Full HD 1080p
- 1 Tuner PIP
- Stereo
- Multi System Reception
- Fast Text

- 2 HDMI
- PC Input
- · 2 Scarts
- Cabin: Steam Injection (piano black)
- Child Lock, Digital Clock Remote Controller

Note: All Specifications are subject to change without any prior notice

AEB Hotel TV	HD SRS(0)	HOMI DE TERRESTRIAL
DESCRIPTION	Size	Code
AEB Hotel LCD TV	20"	310.001
AEB Hotel LCD TV	26"	310.002
AEB Hotel LCD TV	32"	310.003
AEB Hotel LCD TV	37"	310.004
AEB Hotel LCD TV	42"	310.005
AEB Hotel LCD TV	47"	310.006
AEB Hotel LCD TV	52"	310.007

AEB Hotel TV Full H		SRS(O)	Hami Da
DESCRIPTION		Size	Code
AEB Hotel LCD T	v	37"	310.006
AEB Hotel LCD T	V	42"	310.007
AEB Hotel LCD T	V	47"	310.008
AEB Hotel LCD T	V	52"	310.009

# AEB HOTEL INTERACTIVE IPTV

### **AEB Hotel Interactive IPTV**

#### DIGIGUEST

#### General Features:

Pure Digital. System is a total IP based soulution. It does not require any antenna instalation in Hotel building. It reduce the analog head end meintenance costs. IP Gateway; It uses IP gateways to provide live channels: it is capable to receive DVB-S, DVB-T, DVB-C, DVB-S2 Channels HDTV: complete system is High Definition Ready. It delivers High Definition cannels to every room. More then 20 languages. 2 Cable solution; You only need Power and Ethernet in room

#### Welcome message

TV will welcomes the guest with his/her name while arriving to the room

#### TV Channels

Provides a rich selection of TV channels High Definition and Standard Definition channels from digital satellite cable and terrestrial reception All channels streamed through Ethernet network



Hilton Izmir Hotel Guestroom

#### On Demand Entertainment

The guests can watch or listen to what they want, when they want. Guests can choose the latest cinema releases from predefined catagories of video content.

#### Wake-Up Service

Hotel TV has an easy to use TV alarm

#### View Hotel Bill

The guest can view their detailed hotel bill via in-room TV anytime during their stay.

#### Short News & Wether Forecast

Hotel TV comes with an application to bring the breaking news and the weather forecast from the most honored news organizations online. Everything is automatic, no attention required.

#### Excannge Rates & World Clocks

Hotel TV provides a daily current excahnge rate service fort he hotel guests. Hotel TV provides current local time in cities and countries, in all time zones.

#### **Hotel Activities**

Hotel TV Provides the ideal way to visually promote all the hot's services which traditionally are detailed in the hotel's in-room material. Hotel can promote their key services real time (e.g. restaurants, spa or leisure facilities)

#### Landmarks

Hotel TV presents photographs and histories of local landmark places and buildings

#### Hausepeeking Services

Hotel TV allows the hausekeeping team to provide a real time view of room status with a link to the front desk. The reception staff are immediately aware when a room is clean and vacant



# Server Raam. Server Raam. 100 Mod/Sec Floor 1 100 Mod/Sec Floor 2 Floor 2

# SYSTEM DIAGRAM

#### **AEB DIGIGUEST LCD TV SPECIFICATIONS**

Dimension	32"	37"	42"
Diagonal Screen Size	32" / 82 cm	37" / 96 cm	42" / 106 cm
Resolution	1366 x 768	1366 x 768	1366 x 768
Brightness	500 cd/m2	500 cd/m2	500 cd/m2
Contrast Ratio (Typical)	1500:1	1600:1	1500:1
Contrast Ratio ( Dynamic)-Histogram	8000:1	8000:1	5000:1
Response Time (G-G)	6.5 ms	9 ms	8 ms
Viewing Angle	HOR 178 VER 178	HOR 178 VER 178	HOR 178 VER 178

#### CABINET

Dimension	32"	37"	42"
	Black	Black	Black
Color cabinet	Piano black bezel	Piano black bezel	Piano black bezel
Set dimension (WxHxD)	805x560x120 mm	930X630X125 mm	1037x698x122 mm
Set dimensions with stand (WxHxD)	805x603x212 mm	930X675X245 mm	1037x737x284 mm
Box dimensions (WxHxD)	920x735x212 mm	1030x820x287 mm	1145x853x284 mm
Product weight	14 kg	18.2 kg	20.7 kg
Product weight (stand)	15.6 kg	21.3 kg	24.8 kg
Weight incl. Packaging	19.7 kg	26 kg	30.3 kg
VESA wall mount compatible	YES	YES	YES

# AEBOND PLUS





### DND PLUS Electronic Do Not Disturb System

"AN EASY STAND ALONE SOLUTION FOR YOUR GUEST PRIVACY"

Electronic Do Not Disturb System and Make Up Room indicator for your guest rooms in your hotel property.

DND-Plus easy way for guests to show their privacy and service requirements. DND-Plus eliminates doorknob signages and provides a doorbell chime to your guests. With a touch of a button "Do Not Disturb" or "Make-Up Room can be displayed on the outside of the room.

DND-Plus operates stand alone. It has got theree units outside panel, inside panel and electronic control unit. Outside panel easily displays guest privacy and Make-Up requirements. Your guest may push button easily for showing their privacy and Service requirements. You may choose outside panel from our standard collection. Inside and outside panels made by with stainless steel.

You may choose an outside panel with your hotel logo and room number.

MUR (Make-Up Room) is the electronic way to require maid service. DND-Plus System adds up guest comfort and security along with efficient guest room management.

When your guests push DND button there is a red light appear on hall way panel that indicates Do Not Disturb. Door bell is not working when your guests push DND button.

There is door bell on guestroom panel and DND&MUR buttons. Guestroom panel is attractively designed for all kind of interior designs in your guestroom.

DND-Plus can be connect with S-Power energy savers. They are compatible each other and if the client's key card inside the energy saver, there is yellow led is on at outside unit which means "room occuiped"

#### Custom Made

You may also require a custom made Outside Panels with your own design and shape. Custom made panels requires a special design. Please require a quotation with your special design of your property.

325.001
325,002
325.003
325.004
325.005
325.006
325.007
325.008

#### 1 What is DND Plus?

DND Plus is newest electronic DND indicator which replace "Do not disturb doorknob hangers. Also DND Plus is an elegant doorbell system for your guest rooms. DND Plus also shows guest's service requirement' (MUR-Make Up Room function) to the hausekeeping staff. It is two pieces one of them illuminated outside unit which shows door numbers also and a bedside unit for your guests.

- 2 Is DND Plus make a money saving for my hotel?
  You do not need to purchase "doorknob hangers" any
  more and your staff does not need to check them every day.
- 3 Can DND Plus be install into an existing hotel or only new projects?

Even it is easy to install DND Plus at the new projects it can be also intall to an existing hotel with a low voltage cables. DND Plus components comes pre-wired and needs simple wire systems. A low voltage transformer (comes with DND Plus) can be installed your room's electrical junction box.

4 Can i designed DND Plus with my own hotel logo? Yes we can make "custom made" outside unit. Inside bed side panel is same for all hotels. You can send us your logo and your own shapes. Of course we have standard collection and you can choose from them also.

#### 5 What is your order procedure?

First you need to send your hotel logo, required style and special requirements. You will receive design of your DND Plus. After your approval we will start to manufacture with your own style

DESCRIPTION	
DND Plus Wooden Holder Light Brown Finish	325.009
DND Plus Wooden Holder Dark Brown Finish	325.010
DND Plus Wooden Holder Ivary Finish,	325.011
DND Plus Wooden Holder Black Finish	325.012
DND Plus Wooden Holder Custom Made Finish-Indicate your request	325.013
DND-MUR PVC Card 760 Micron Standard	325.014
DND-MUR PVC Card 760 Micron Custom made-indicate your request	325.015

#### 6 Is DND plus improve my hotel's image

- a) DND Plus increases your guest's safety&privacy. There is no mistake, with our red light on, your guest does not want to be disturbed! With a simple touch of a button located at the bed side panel of DND Plus. If your guest require service they can esily show this demand to your hotel staff. After DND Plus there is no need to open to doors to hang out a DND sign.
- b) DND Plus increases you hotel's vision up to date and modern style.
- c) No mistake, It is impossible to say "the doorsign lost, that" why I knock the door". DND Plus eliminates guest complaints regarding their privacy.
- d) DND Plus has got two international signs red (DND) and green (MUR) even your guest does not know English. They can easily understand.





DND PLUS Manuel Do Not Disturb System

It is the most simplest way to show your guest's privacy request to you staff.

Wooden Card Holder is at the back of the guestroom door and it keeps the DND-MUR card on it. Your guests will get it and insert to the electronic lock as same as their key cards.

DND-MUR cards is 760 mikron PVC like credit card standards and can be printed with your own hotel logo on it.



# **AEB S-POWER**





#### **Smart Choise in Energy Saving**

S-Power Energy savers has got a magnetic reader head and reads third track of the magnetic key cards. It is compatible with all brands of Electronic Locking System.

It does not operate with any objects such as credit cards, hard objects, business cards etc. It is just operating with your room key cards.



#### **Reader Unit**

- · Only operated by encoded magnetic card by reading codes on it.
- Allow reduction of in-room power consumption.

#### Power (Relay) Unit

- . High protection (Short-circuit; over voltage wrong connection)
- . Cuts the electric after 35 second delays
- · LED on it for easy location in the darkness
- 16 Ah+16Ah, total 32 Ah Power



#### **Finishes**

DESCRIPTION		
S-Power Relay Unit 16Ah+16 Ah= 32 Ah 220 V	323.001	
S-Power Relay Unit 16Ah+16 Ah= 32 Ah 110 V	323.002	
S-Power Reader Unit Finish Satin Chrome	323.003	
S-Power Reader Unit Finish Satin Brass	323.004	
S-Power Reader Unit Finish Ivory	323.005	
S-Power Reader Unit Finish White	323.006	



- S-Power has all sort of protection such as short circuit, high voltage
- . S-Power can easily reads the data on 3rd track of your key cards
- · S-Power has LED's for easy finding in darkness. When your guests remove their cards from the reader unit, power will disconnect after 35 seconds auotmaticaly (time delay)
- · S-Power has very competitive price and has got two units. First unit is relay box and the second is reader. There is no risk for your guest because of using 12 Volt electricity in reader.
- S-Power designed for any size of hotel properties.



#### Sizes

Туре	High	Width	Deep	Weight
READER	5 mm	20 mm	85 mm	100 gr
POWER	85 mm	55 mm	70 mm	300 gr







### Electronic safe box

#### **Electrnic Safe Box for Guest Rooms**

- · User friendly LCD Display
- 2 Solid steel anti-drill rotating bolts for locking
- Working with 3 pcs AA standard batteries
- · Fixing to furniture from back or bottom
- Have two different master level (master 1- master 2)
- · Allows 4 or 6 digit passwords
- · Easy battery replacement

- · Indicate battery status
- 4x4 alphanumeric button keyped
- Alerts systems buzze
- Carpet available
- · Hold after 3 wrong attempts to open it
- Used non-scratched coating system
- Thickness of body 2mm, for door 6 mm steel

SCRIPTION	
Safe Laptop Size Guest Room Safe Box, Finish Ivory	

DESCRIPTION	
S-Safe Laptop Size Guest Room Safe Box, Finish Ivory	324.001
S-Safe Laptop Size Guest Room Safe Box, Finish White	324,002

#### Sizes

Туре	High	Width	Deep	Volume	Weight	Color
LAPTOP	225 mm	430 mm	400 mm	34 lts	16.5 kg	Ivory-White
	3.86 inc	16.93 inc	15.75 inc	9.40 gal	36.38 lbs	Session Continue

# **AEB S-LOCK**

### S-LOCK Electronic locking system for hotels



#### S-LOCK RFID Lock Contactless Electronic Lock

Radio Frequency IDentification (RFID) locks today the recent technology in electronic locking systems for hotels.

S-Lock RFID offers the latest Radio Frequency IDentification (RFID) technology with the most flexible platform for hotels. System consist with RFID Encoder, Portable Programmer and system software.


S-LOCK front view







DESCRIPTION	
S-Lock Contactless Electronic Lock Satin Chrome	322,001
S-Lock Contactless Electronic Lock Polished Brass	322.002
S-Lock Contactless Electronic Lock Satin Brass	322,003
S-Lock Contactless Electronic Lock Polished Chrome	322.004
S-Lock Encoder	322.005
S-Lock Portable Programmer	322.006
S-Lock System Software	322.007
RFID Cards without printing	322.008
RFID Card with printing	322.009
S-Lock Sample Package, includes One pcs Electronic Lock, software,portable programmer encoder.cables.	322.010



#### S-Lock Specifications:

- · Stand Alone Locks with TI-RFID technology by Texas Instruments
- · More Guest Satisfaction: User friendly for guest in all ages. No need to insert the keycard, more easy
- . More Security: Anti-cloning technology for all guest and staff cards. Mag-stripe keycards can be copied.S-Lock RFID allows powerfull anti-copy solution.
- . More Suitable: RFID Locks is suitable for all type of hotels Business, Resort, Spa, All-inclusive....
- · Easy Software, S-Lock software is user friendly and very easy to use for hotel staff.
- · Audit Trail with last 500 openings
- · High security ANSI mortise locks with five point latch mechanism

- · Panic release functions with just one action
- Flash RAM memory, non volatile memory.
- · Powered with 3 AA battery with 2-3 years lifetime
- · Optional Mechanical Cylinder System for emergencies
- · Mechanical opening is recording by the lock memory
- · Hidden mechanical cylinder with a cylinder cover
- · Low Cost Guest Cards has got longer lifetimes
- Led Indicators
- USB Connections for Encoder and Portable Programmer

#### RFID Specifications:

- 13,56MHz technology
- · TI-RFID by Texas Instruments Most advanced RFID technology worldwide

# AEB CARD

## **AEB Card Systems**

### **AEB Magnetic Stripe Key Cards**













AEB Mag Cads 327.001 Custom Made Design

### **AEB Towel Cards**







AEB Towel Cards 327.002 Custom Made

### **Card Accessories**







Round Metal Yoyo 327.004



Luggage Name Tag 327,005



Clear Card Holder 327.006



Clear Card Holder 327.007



Single Size Card Holder 327.008



Double Size Card Holder 327.009



Name Tag Steel 327.010



String with Printing 327.011

### **Card Accessories**



String without Printing 327.012



> 1

Metal Clips with Sticker 327.014



Money Detector with Light 327.015



Paper Shredder 327.016

### **AEB Waterproof LCD TV and Mirror TV**

The TV is totally wrapped in waterproof shell. The innovative design has combined both elegant and durable engineering to produce a master piece. The LCD TV uses advanced TFT technology with sophisticated anti-water condensation techniques. Since it is waterproof, you can install the TV in a bathroom or anywhere else without being concerned with moisture and water spilling or splashing.

Gone are the concerns about whether your TV will have a short circuit or dusted frame caused by moisture or spilled water. You can relax in your bathtub, blow dry your hair or brush your teeth while having accompanied by this exceptional entertainment unit.

The unit can be also installed in living room, bedroom or any other areas if you so choose. You can also achieve a built in look by fitting the unit in to a stud or solid wall or tile. Enjoy!

This TV incorporates the latest state of the art screens with the latest and best features. It was originally designed to be used just in the bathrooms; however it can be installed in kitchens, swimming pool, parden environments, spas, saunas, and even living rooms. In fact, it can be installed almost anywhere.

This unit features heated screen areas to prevent the front from misting up in humid conditions or even freezing up in cold conditions.

- LCD Screen size: 5" 8" 9.2" 10 15" 17" 19" 22" 26" 32"
- Waterproof, moisture proof. foa proof
- Full function remote control
- Waterproof remote control
- Sensitive touch screen button. easy for control
- · Different color design for choice, f it for different style of rooms
- · Heat front panel with low temperature, avoiding the coagulating of fog.
- · The back of the unit can be complete hidden in the wall,

- . Low voltage DC 12V, be safe for bathroom using
- CCTV input +AV input+ VGA (optional) + S-video input
- Built-in speakers
- . Mirror TV function: it can works as a mirror when power off. The light can pass the mirror panel and make the unit works as a TV when power on.
- HDMI and YCBCR input function.
- · Built in ATSC and DVB-T tuner.

560,001 AEB 19 inch WATERPROOF TFT LCD COLOR TV



TV System: PAL/NTSC/SECAM (optional)

LCD Size: (diagonal) 19 inches

Aspect Ratio: 16: 9 Pixels: 1440 x 900 Ness: 800od/m<sup>2</sup> View Angle: 160/160 Contrast Ratio: 500:1 Respond Time: 8ms

Power Supply: DC 12V, Power consumption 40W Menu: OSD menu

with 8 languages


Color of front panel: white, black, silver, Accessories: AC adaptor, Waterproof remote control, screw for wall mounting.

Certification: CE RoHS IP65

- · 16:9 Wide screen display
- 16:9 Wide screen display
   TV+AV function, inside multi-media
   Infrared Remote Controlling, Voltage
   inspecting automatically
   and Wide visual angle,
   LIGHT INDUCE TOUCH KEY
   BUILD IN WATERPROOF SPEAKER INSIDE
   FIT BUILD INTO THE WALL
   WATERPROOF STRUCTURE, IT IS
   SI ITARI F EARL BING IN THE RATHROOM.

- SUITABLE FOR USING IN THE BATHROOM, SHOWER ROOM, SAUNA ROOM, SWIMMING POOL AND KITCHEN ECT.
- TV Program: CATV HYPER BAND. programs store up to 255 Unit size 554x360x37mm Gift box size: 58.5\*11\*43.5 CM Carton size: 57\*60.5\*46 CM G.W.:5 5KGS N.W.: 5KGS

560,002 AEB 22 inch WATERPROOF TFT LCD COLOR TV



TV System: PAL/NTSC/SECAM (optional)

LCD Size: (diagonal) 22 inches

Aspect Ratio: 16: 9 Pixels: 1366 x 768 Ness: 800cd/m<sup>2</sup> View Angle: 160/160 Contrast Ratio: 600:1 Respond Time: 8ms

Power Supply: DC 12V, Power

consumption 40W

Menu: OSD menu with 8 languages Color of front panel: white, black, silver,

Accessories: AC adaptor. Waterproof remote Control, screw for wall mounting.

Certification: CE ROHS IP65

- Display: 16:9 Wide screen
   TV+AV function, inside multi-media
   Infrared Remote Controlling, Voltage inspecting automatically and
- Wide visual angle

  With HDMI input
  LIGHT INDUCE TOUCH KEY
  BUILD IN WATERPROOF SPEAKER INSIDE
- FIT BUILD INTO THE WALL
- Input signal: Antenna, AV, S-video Signal
   WATERPROOF STRUCTURE, IT IS SUITABLE FOR USING IN THE BATHROOM, SHOWER ROOM, SAUNA ROOM
- SWIMMING POOL AND KITCHEN ECT. TV Program: CATV HYPER BAND. programs store up to 255 Unit size 700x420x37mm Gift box size: 58.5\*11\*43.5 CM Carton size: 57\*60.5\*46 CM G.W.5.5KGS N.W.: 5KGS

560,003 AEB 26 inch WATERPROOF TFT LCD COLOR TV



TV System: PAL/NTSC/SECAM (optional)

LCD Size: (diagonal) 26 inches

Aspect Ratio: 16: 9 Pixels: 1366 x 768 Ness: 800cd/m<sup>2</sup> View Angle: 176/176 Contrast Ratio: 1200:1 Respond Time: 8ms

Power Supply: DC 12V, Power

consumption 65W

Menu: OSD menu with 8 languages Color of front panel: white, black ,silver ,

Accessories: AC adaptor, Waterproof remote Control, screw for wall mounting.


Certification: CE ROHS IP65 With HDMI input

- · 16:9 Wide screen display
- TV+AV function, inside multi-media Infrared Remote Controlling, Voltage inspecting automatically and
- Wide visual angle.

   LIGHT INDUCE TOUCH KEY
- . BUILD IN WATERPROOF SPEAKER INSIDE
- . FIT BUILD INTO THE WALL
- Input signal: Antenna, AV, S-video Signal
   WATERPROOF STRUCTURE, IT IS SUITABLE FOR USING IN THE BATHROOM. SHOWER ROOM, SAUNA ROOM, SWIMMING POOL AND KITCHEN ECT.
- TV Program: CATV HYPER BAND. programs store up to 255 Gift box size: 925x158x621 mm

### **AEB Waterproof LCD TV and Mirror TV**

560,004 AEB 32 inch WATERPROOF TFT LCD COLOR TV



TV System: PAL/NTSC/SECAM (optional)

LCD Size: (diagonal) 32 inches

Aspect Ratio: 16: 9 Pixels: 1366 x 768 Ness: 800cd/m<sup>2</sup> View Angle: 176/176 Contrast Ratio: 1200:1 Respond Time: 8ms

Power Supply: DC 12V, Power

consumption 110W

Bracket

Menu: OSD menu with 8 languages Color of front panel : white, black, silver, mirror

Accessories: AC adaptor, Waterproof remote control, screw for wall mounting.

Certification: CE ROHS IP65 HDTV

- 16:9 Wide screen display
   TV+AV function, inside multi-media
   Infrared Remote Controlling, Voltage inspecting Automatically and
- Wide visual angle.

  LIGHT INDUCE TOUCH KEY

  BUILD IN WATERPROOF SPEAKER INSIDE
- BUILD IN WHERE HOUR SPEAKER INSIDE
   FIT BUILD INTO THE WALL
   Input signal: Antenna, AV, S-video Signal
   WATER PROOP STRUCTURE, ITIS
   SUITABLE FOR USING IN THE BATHROOM,
   SHOWER ROOM, SAUNA ROOM, SWIMMING POOL AND KITCHEN ECT.

560,005 AEB 19 inch WATERPROOF TET LCD COLOR TV WITH MIRROR



TV System: PAL/NTSC/SECAM (aptional)

LCD Size: (diagonal) 19 inches

Aspect Ratio: 16: 9 Pixels: 1440 x 900 Ness: 800cd/m<sup>2</sup> View Angle: 160/160 Contrast Ratio: 500:1 Respond Time: 8ms Power Supply: DC 12V. Power

consumption 40W

Menu: OSD menu with 8 languages

Accessories: AC adaptor, Waterproof remote control, screw for wall mounting.

Certification: CE RoHS IP65

- 16:9 Wide screen display
- TV+AV function, inside multi-media. Infrared Remote Controlling, Voltage inspecting automatically and

- inspecting automatically and Wide visual angle.

  BUILD IN WATERPROOF SPEAKER INSIDE

  FIT BUILD INTO THE WALL

  INPUT: AV/TV/HDM/VGA

  WATERPROOF STRUCTURE, IT IS SUITABLE FOR USING IN THE BATHROOM, SHOWER ROOM, SAUNA ROOM, SWIMMING POOL AND KITCHEN ECT.

  TV Program: CATV HYPER BAND, programs store up to 255 Unit size 554x360x37mm
  Gift box size: 58.5\*11\*43.5 CM
  Carton size: 57\*60.5\*46 CM
- Carton size: 57\*60.5\*46 CM G.W.: 5.5KGS N.W.: 5KGS

560,006 AEB 22 inch WATERPROOF TET LCD COLOR TV WITH MIRROR FUNCTION



TV System: PAL/NTSC/SECAM (optional)

LCD Size: (diagonal) 22 inches

Aspect Ratio: 16: 9 Pixels: 1366 x 768 Ness: 800cd/m<sup>2</sup> View Angle: 160/160 Contrast Ratio: 600:1 Respond Time: 8ms

Power Supply: DC 12V, Power consumption 40W

Menu: OSD menu with 8 languages Accessories: AC adaptor, waterproof remote control, screw for wall mounting.

Certification: CE RoHS IP65

- · 16:9 Wide screen display
- TV+AV function, inside multi-media. Infrared Remote Controlling, Voltage inspecting automatically and
- Wide visual angle. With HDMI input
- BUILD IN WATERPROOF SPEAKER INSIDE
- . FIT BUILD INTO THE WALL
- HI BUILD INTO THE WALL
   INPUT: AVITV/HDMI/VGA
   WATERPROOF STRUCTURE, IT IS
   SUITABLE FOR USING IN THE BATHROOM,
   SHOWER ROOM, SAUNA ROOM,
   SWIMMING POOL AND KITCHEN ECT.

   TV Program: CATV HYPER BAND;
   TO PROGRAM STRUCK STRUCK STRUCK
   TO PROGRAM STRUCK - programs store up to 255 Unit size 700x420x37mm Gilt box size: 58.5\*11\*43.5 CM Carton size: 57\*60.5\*46 CM G.W. 5.5KGS N.W.: 5KGS

560,007 AEB 26 Inch WATERPROOF TFT LCD COLOR TV WITH MIRROR FUNCTION



TV System: PAL/NTSC/SECAM (optional)

LCD Size: (diagonal) 26 inches

Aspect Ratio: 16: 9 Pixels: 1366 x 768 Ness: 800cd/m<sup>2</sup> View Angle: 176/176 Contrast Ratio: 1200:1 Respond Time: 8ms

Power Supply: DC 12V, Power consumption 65W

Menu: OSD menu with 8 languages Accessories: AC adaptor, Waterproof remote control, screw for wall mounting.


Certification: CE ROHS IP65 With HDMI input

- 16:9 Wide screen display
- TV+AV function, inside multi-media
  Infrared Remote Controlling, Voltage inspecting automatically and

- INSPECING SUIGHTSTEAM OF THE STATE OF T SWIMMING POOL AND KITCHEN ECT.
- TV Program: CATV HYPER BAND. programs store up to 255 Gift box size: 925x158x621 mm

# A B BATHROOM

### **AEB Bathroom Accessories**



### **AEB Wool Carpet**









526,001

526.002

526.003

526.004









526.005

526.006

526.007

526.008













#### **Technical Specification**

Production Object Specific hotel carpet.

Our Carpet The most important property is that they are woven by INCORPORATED weaving system with fortified underside.

Quality Standart International WOOLMARK standart.

Woolmark License No 0189 TU 05 W

Flammability Our carpet are tested in Aachen University, they meet Cfl - S1 (B1) Condition according to En 13501, which the highest degree for not being ignited.

Knot Quality Exported %100 PURE NEW WOOL. Tannery wool, acrylic or synthetic fiber absolutely are not used. Wool yarn are washed before weaving.

Appearance protection It has not water and vapor process for preventing surface degradation after usage. The more it is used, the prettier it becomes. It shines after cleaning. Felting does not ocur.

Moth damage The wool has been exposed to process against attack of moths. This is a WOOLMARK condition.

Total weight 2800 gr./m2 ± %5

Wool quantity 1800 gr./m2 ± %5

Total height 10 mm

Pile height 8 mm

Knot number (point) 332.800 pieces/m2 (320X520X2)

Weft quality %100 exported jute (Banglades 16/2 b)

Warp Quality 65/35/P/C (NE 14 ekstra-ring) (8 folder carrier, 6 fold connection)

Finishing material Finishing is carried on import chemical LATEX.

Dyes They are import dyes with doctor report with high color and friction fastness and it does not contain any carcinogen material.























### Hafele Hardware







#### **Cabinet and wardrobe light**

With sensor or pull switch

Lights with length L ø580 mm are delivered with 2 support brackets. all other lengths include 3 support brackets (see ordering table)

Area of application: Installation in

Material: Aluminium, silver coloured anodized

Installation: Screw fixing to top panels or shelves, e.g. in kitchen cupboards. wardrobes, glass cabinets

Complete with: Integrated electronic ballast, T5 Fluorescent tube, Protective covr transparent, Lead 900 mm, mains lead 3,000 mm and flat Euro plug set of installation instructions

Voltage: 230 V/50 Hz

Sensor: Coverege 3 to 20 mm

Standarts applied: EN 60 598 - 11 993 \*\*\*

Length L	Wattage W	Number of support breckets	Drilling distance A mm	Cat. No.
	٧	Vith pull sw	itch	
580	8	2	1 x 547	827.13.901
722	13	3	2 x 342	827.13.902
860	13	3	2 x 414	B27.13.903
960	13	3	2 x 464	827.13.904
1,300	21	3	2×630	827.13.905
	Wi	th sensor s	witch	
580	8	5	1 x 547	827.13.911
722	13	3	2 x 342	827.13.912
860	13	3	2 x 414	B27.13.913
960	13	3	2 x 464	827.13.914
1,300	21	3	2×630	827.13.918





#### **Extending TV turntable**

Single or full extensin

Material: Steel Extension length

Single extension: 210 - 370 mm Full extension: 370 - 420 mm Installation: Screw fixing to cabinet shelf

Fixing material: Supplied

Safety note Please pay attention to the following when installing extending TV turntables:

- · Note installation drawing and assembly
- instructions. . Ensure that material thickness is at least 19 mm.
- Ensure that cabinet shelf is fixed security to cabinet side panels.

  To prevent pulling-out, attach rear cross rail of extension rail or rear extensionrail using raised head bolts for through-hole installation.
- Wood screws or chipboard screw only be
- used in the front rail attachment area

  Ensure that all fixing holes have been used.

  The support bracket material must be
- security attached to turntable



### **COLOR-E Extending TV turntable**

Single extension, load capacity 65 kg

Finish: Galvanized runners, plastic coated housing white or grey-

Rotating range: 90° per side Extension length: 370 mm Installation height: 72.5 mm

Colour	Cat No.
White	421.98.729
Grey-brown	421.98.149

Packing: 1 pc.





'Handicapped

Symbol "Arrow"

#### Symbols

Accessories all to do with Doors

Finish Height x width: 100 mmx100 mm

Thickness: 1 mm Fixing Self-adhesive







ì	Aluminiun mat	7
ļ		

Symbols	Stainless steel matt-brushed	Aluminium matt		
Ladies/Gentlemen"	987.07.200	987.07.301		
Handicapped"	987.07.210	987.07.311		
Telephone*	987.07.220	987.07.321		
Arrow*	987.07.230	987.07.331		





Symbol "Ladies/Gentlemen"

Height: 120 mm • Thickness: 2 mm

Material: Plastic black Fixing Self-adhesive

Symbol "Ladies/Gentlemen"	987.06.313
Symbol "Handicapped"	987,06,323
Symbol "Telephone"	987.06.333

Height: 60 mm Thickness: 4 mm Material: Plastic black anodized Fixing Self-adhesive

Letters WC 967.06.353

#### Door Viewer

Accessories all to do with Doors









Brass nickel plated

Features Suitable for door panel thickness (a) 36-55 mm • With flap

Technical data

Range of vision: 170º Door drilling: 12 mm

Brass nickel plated	959.00.001
Brass polished	959.00.002







Brass

Brass nickel plated

Features Suitable for door panel thickness (a) 45-55 mm • With flap

Technical data Range of vision: 2009

Door drilling: 14 mm

The second secon	
Brass nickel plated	959.00.003
Brass polished	959.00.004







Brass

Brass nickel plated

Features Suitable for door panel thickness (a) 55-70 mm • With flap

Technical data Range of vision: 2000

Door drilling: 14 mm Brass nickel plated 959.00.005 959.00.006 Brass polished



26

### Hafele Hardware



#### **Butt Hinge**

Door Hinges / Butt hinges for interior doors



Features For wooden frames. For flush inteior doors. With loose pin, Knucle with 2 ball bearing, Suitable for DIN left hand DIN right hand

Technical data Max. door weight for 3 door hinges 80 kg. Knuckle diameter 14 mm Material thickness 3 mm

Fixing Cutting depth 3.15 mm



Features For wooden frames. For rebated interior doors, With loose pin, Knucle with 2 ball bearing, Suitable for DIN left hand DIN right hand


Technical data Max. door weight for 3 door hinges 80 kg, Size 102 mm, Knuckle diameter 14 mm. Material thickness 3 mm

Fixing Cutting depth 3.15 mm











Stainless steel Matt



burnished



Brass	polished	Brass ma
laco	juered	lacquered
102 mm	114 mm	114 mm

76 mm	89 mm	102 mm	102 mm	114 mm	114 mm
3"	3.5"	4"	4"/	4.5"	4.5"
76 mm	89 mm	76 mm	102 mm	102 mm	102 mm
3"	3.5"	3"	4"	4"	4.5"
30 mm	36 mm	30 mm	42 mm	42 mm	49 mm
926.12.802	926.12.902	926.13.002	926.13.102	926.13.202	926 13 302
926 12 803	926.12.903	926.13.003	926.13.103	926 13 203	926.13,303
926.12.810	926.12.910	926.13.010	926.13.110	926.13.210	926.13.310
926.12.880	926.12.980	926.13.080	926.13.180	926.13.280	926.13.380
926.12.881	926.12.981	926.13.081	926.13.181	926.13.281	926.13.381
	3° 76 mm 3° 30 mm 926.12.802 926.12.810 926.12.810	3" 3.5" 76 mm 89 mm 3" 3.5" 30 mm 36 mm 926.12.802 926.12.902 928.12.803 926.12.910 926.12.810 926.12.910	3" 3.5" 4" 76 mm 89 mm 76 mm 3" 3.5" 3" 30 mm 36 mm 30 mm 926.12.802 926.12.902 926.13.002 926.12.803 926.12.903 926.13.010 926.12.810 926.12.910 926.13.010 926.12.880 926.12.980 926.13.080	3" 3.5" 4" 4" 76 mm 89 mm 76 mm 102 mm 3" 3.5" 3" 4" 30 mm 36 mm 30 mm 42 mm 926.12.802 926.12.902 926.13.002 926.13.102 928.12.803 926.12.903 926.13.003 926.13.103 926.12.810 926.12.910 926.13.010 926.13.110	3" 3.5" 4" 4" 4.5"  76 mm 89 mm 76 mm 102 mm 102 mm  3" 3.5" 3" 4" 4"  30 mm 36 mm 30 mm 42 mm 42 mm  926.12.802 926.12.902 926.13.002 926.13.102 926.13.202  926.12.803 926.12.903 926.13.003 926.13.103 926.13.203  926.12.810 926.12.910 926.13.010 926.13.110 926.13.210

Fixing material supplied

#### Door Handle Sets StarTec Loretta



Door handle Sets for Internal Doors-Residential Projects

#### Brass



Brass, chrome-plated, polished/ Stainless steel, matt

Technique High holding mechanism integrated in rosette

#### Door Handle Sets StarTec Sandra



Door handle Sets for Internal Doors-Residential Projects

#### Stainless steel



Stainless steel, matt Technique Lever handle pivot-fitted in rosette. With height holding mechanism

#### Security Door Guard Device



Zinc diecst burnished


Door locks and Door Bolts

Security fittings for appartment front-doors and front doors

911 59 063

Features For wooden doors, For inward opening doors

Supplied with 1 Door gap protection, 1 Frame part with long knob, 1 Set of fastening material



#### **Ventilation Grill**



white







Features Suitable

View-proof position

959.10,009

for door panel

thickness (a) 35-40 mm, 2 part,



lightwalnut





L.	,
Plastic white	959.10.001
Plastic pine	959.10.002
Plastic mahogany	959.10.003
Plastic walnut	959.10,004
Plastic light-grey	959,10,005
Plastic black	959.10.006
Plastic beech	959.10.007
Plastic white aluminium	959.10.008

#### **Ventilation Gril**















1390 mm

1490 mm

950.05.008

950.05.009



Features Suitable for door panel thickness (a) 34-60 mm. With counter frame, View-proof position of lamellae





Stainless steel rustproof	959.10.010
Aluminium F1-Anodized	959.10.011
Aluminium F2-Anodized	959.10.012
Aluminium F3-Anodized	959.10.013
Aluminium F4-Anodized	959.10.014
Aluminium F5-Anodized	959.10.015
Aluminium C3-Anadized	959,10.016
Aluminium C4-Anodized	959.10.017
Aluminium white lacquered RAL-9010	959.10.018

#### **Automatic Door Seal**

Plastic maple

Features Protection from cold and draughts, For groove, recess or surface mounting, Suitable for DIN left hand and DIN right hand, With single-side release (hinge side), Angled adwustment of the seating strip, Adjustable sealing height.

Technical data Max. sealing height Can be shortened at one end up to max. Each and can be shortened by max.

Finish Exterior housing: Aluminium bright, Sealing profile: PVC grey

Supplied with 1 Automatic door seal, 2 Mounting angles with screws, 1 Release plate with screw.

Length	Single-side release	Length	Double-side release	Single-side release
590 mm	950.05.000	585 mm	(4)	950.05.010
690 mm	950:05:001	710 mm	950.05.011	950.05.011
790 mm	950.05.002	835 mm	950.05.012	950.05:012
890 mm	950.05.003	960 mm	950.05.013	950.05.013
990 mm	950.05.004	1085 mm	950.05.014	950.05.014
1090 mm	950.05.005	1210 mm	950.05.015	950,05.015
1190 mm	950.05.006	1335 mm	950.05.016	950.05.016
1290 mm	950.05.007			

# AEB AIR CONDITIONER

### **AEB Air Conditioner**



Platinium Series



Close Front Series



Adore Series



Meta Series



Quadro Series

	A	EB AIRCONE	DITIONERS	TECHNICAL SPE	CIFICATIONS		
	MODEL			9.000	12,000	18.000	24.000
	Power Supply				220	Volt	
	Compressor Type			Rotary	Rotary	Rotary	Rotary
	Capacity	Cooling	Watt	2.700	3.520	5.280	7.040
	Capacity	Heating	Watt	2.930	3,820	5.870	7.340
	Dehumdifying Capacity		liter / hr	1,1	14	2,2	2,7
	Air Flow	(C/H)	m³/min	6.1/6.9	7.8 / 8.2	13.5 / 14.0	14.0 / 14.5
	Sound Level	(In / Out)	dB	35 / 45	38 / 49	45 / 55	47 / 59
Performance	Operation Range		°C	-5 / +43	-5/+43	0/+43	0/+43
	Max. Elevation		meters	5	5	7	7
	Max. Length		meter	10	10	15	15
	Energy Class	(C/H)		C/C	C/D	C/C	C/D
	Additional gas Q'ty		kg/m	10	10	20	30
	Running Current	Cooling	Amp.	4,1	6,4	7,3	10,0
Power		Heating	Amp.	3,9	6,5	8,0	11,2
	Power Input	Cooling	Watt	880	1.260	1.650	2.200
		Heating	Watt	830	1.300	1.800	2.470
	Net Weight	Indoor	kg	9,0	9,0	12,0	12.0
		Outdoor	kg	26,0	29,0	41,5	53,5
Size	Shipping Weight	Indoor	kg	11,0	11,0	15,0	15,0
		Outdoor	kg	28,5	31,5	45,0	57,5
	Net Dimensions	Indoor	mm.	815x182x298	815x182x298	1080x204x275	1080x204x275
	(WxHxD)	Outdoor	mm	720x532x245	720x532x245	811x619x320	911x619x320
	Shipping Dimensions	Indoor	mm	B80x248x370	880x248x370	1148x268x349	1148x268x349
	(WxHxD)	Outdoor	mm	853x592x310	853x592x310	935x665x415	1035x665x415
	Container Loading Qty	40 / 40 HC	Pcs.	252/288	252/288	156/174	136/162

Capacities tested and rated in accordance with ISO 5151 Standard.

Additional gas will be charged after exceeding 5m. Connecting pipe length.

Test Conditions	Indoor	Outdoor	
Cooling	27∞C (81∞F) DB / 19∞C (66∞F) WB	35∞C (95∞F) DB / 24∞C (75∞F) WB	
Heating	20∞C (68∞F) DB / 15∞C (59∞F) WB	7∞C (45∞F) DB / 6∞C (43∞F) WB	

	Platinium	Close Front	Adore	Meta	Quadro
9.000 Btu	528.001	528.005	528.009	528.013	528.017
12.000 Btu	528.002	528.006	528.010	528.014	528.018
18.000 Btu	528.003	528.007	528.011	528.015	528.019
23.000 Btu	528.004	528.008	528.012	528.016	528.020

# AEB DIGITAL SIGNAGE

### **AEB Digital Signage**

AEB Digital Signage Technology enables you to show any content on any display in any location with anv schedule you want simultaneously. You can easily update and costumize displayed contents. vou can check latest schedule which is playing on displays at any time.



#### Slide Show

AEB Digital Signage views selected images as the scheduled order.

#### Finance, Weather, Date & Time

Live currency, weather forecast, date and time informations provided via internet feeds are viewed, at the defined partitions for each.

#### Video

AEB Digital Signage can display live streamed media like as TV channels or stored media at user defined partion area, video can be easily scheduled.

#### Ticker

AEB Digital Signage displays user defined text on screen, also it is possible to view live internet RSS feeds at text area.

#### TV Remote Control

Via internet connection AEB Digital Signage TV's can be controlled wherever you are.

network connection



#### Adding New Company

More than one company can be maintained in one server. A new company is defined into the system by the administrator and each company manage their own display or group of displays.

#### Adding New Display


Unlimited number of displays that belong to different companies can be maintained in one server. Administrator can add or remove a display from the server.


#### Adding New Group


Displays can be managed in groups. Groups are defined and added into the server by the system administrator. Each company have their own group of displays to manage on their own.

#### TV Remote Control

Remote content management and control of the displays can be done through the user interface page on the internet.









Video and image media contents are uploaded to ftp site before scheduling contents via web user interface. Contents should be in supported media formats, if not should be converted by media format converters before uploading to ftp.

#### Partition Manager

Screen partition can easily be set by partition manager, each TV screen view can be defined as user requested.

#### Scheduling

Video, image, text, weather applications can be scheduled via scheduling interface for each

#### **Product Features**

DSTV: Video Image Viewer, RSS feed Text Date / Time, Currency Weather Forecast, Remote TV Control

DS Web User Interface: TV Remote Management, Group Management, Content Management, Firm Management, User Management

#### TV Specs

Panel Size: 26", 32", 37", 42"

TV I/0: Scart, HDMI, VGA, IRF, Ethernet, 2 X USB

Panel Resolution: WXGA (1366 X 768) Remote Management: TV Turn On / Off, TV Volume Set

#### Content Specifications

Video Codecs: MPEG2, MPEG4 part 10, H264 (Transport Stream)

Video Streaming: UDP, RTP, RTSP

Audio Codecs: MPEG Audio layer 1/2, AAC, AC3

Protocols Image Codecs: JPEG. PNG

#### Network

Physical Connectivity: Ethernet

Network Diagram: Local Network Internet Connectivity (With Ethernet)

Video Streaming Protocols: UDP, RTP,

# A EB GUEST AMENITIES

ST10-006001 Personal Necessities Shower Cap / Cotton Pads / Cotton Buds / Sewing Kit / Comb / Nall File • Packed individually in sachets and enclosed in a specially treated cartoon box with

ST10-006002 Shaving Kit
Shaving Foam 50 ml / Double Razor
Blade, Packed individually in sachets
and enclosed in a specially treated

Available as clay, daphne with clay, pure clive oil, or pure daphne soap, All shrink wrapped with personalized labels.

Shampoo / Shower Gel / Hair Conditioner / Bath Foam / Body Lotion, Filled in 67 ml personalized PET bottles, also

ST10-010001 Cosmetics Shampoo / Shower Gel / Hair Conditioner / Bath Foam / Body Lotion Filled in 33 and 50 In personalized PET bottles, also available for all other kinds of cosmetics

ST10-010002 "White" Compact Set Enclosed in one presentation box which Enclosed in one presentation box which can be personalized. Contents: Shower Cap / Sewing Kit / Vanity Set / Hygiene Kit / Bath Sati / Soap Hend Cut Groove 20 gr 2 pcs in box / Dental Kit / Comb / Condom / Shawing Kit / Shoe Mit / Soap Hand Cut Grooved 50 gr in box with alternatives of soap 50 gr ovalic in box / Shoe Shine Sponge and Sanitary Bag in box Packed Individually and available as personalized carton boxes.

ST10-010003 Plexiglass Amenity Tray Designed in accordance to the contents to meet all your basic needs. Can also be produced as personalized and due to the requested items.

Shower Cap / Sewing Kit / Vanity Set (Cotton and Cotton Buds in Sachet) / Hygiene Kit (Hygienic Ped) / Comb / Nail File / Dental Kit / Shaving Kit / Reitenhent Tissue / Tampon / Shoe Polish

ALCHEMIST



525.125 / White



525.125 / White



Body Lotion 35 ml All cosmetics are also available as 50 ml All cosmetics are also available as 50 ml Soap 30 gr Soap 50 gr So Bottles and Soap

Shamooo 35 ml Showergel 35 ml Hair Conditioner 35 ml

ST10-125000 ST10-127000

carton box with drawer. ST10-006003 Natural Hand Cut Soaps 120 gr

ST10-006004 Cosmetics

available for all other kinds of cosmellos. ST10-006005 Wooden Soap Dish ST10-006006 Plexiglass Amenity Tray

ST10-011001 Cosmetics Shampoo / Shower Gel / Hair Conditioner / Bath Foam / Body Lotion. Filled in 33 and 50 ml personalized PET bottles, also available for all other kinds of cosmetics.

packed in sachets and enclosed in sections of the all inclusive box.

ST10-007001 Standart Set Shower Cap /

ST10-007001 Standart Set Snower Cap / Cotton Pads / Cotton Buds / Sewing Kit Hand Cut Square Soan 15 gr. Packed inviduiroullally in sachets and enclosed in a specially freated arton box with drawer. ST10-007002 Cosmetics Shampoo! Shower Gel / Hair Conditioner / Bath Foam / Body Lotion • Filled in 67 and 42 ml personalized PET bottles, also available

ST10-007003 Natural Hand Cut Soaps 65 gr Available with extracts of eucalyptus, honey and almond, green tea, all shrink wrapped with personalized labels. ST10-007004 Plexiglass Amenity Tray Designed in abcordance to the contents to meet all your basio needs. Cosmetic

bottles and boxes can be personalized on request also... ST10-007005 Wooden Rack Designed for

the presentation of amenity boxes and cosmetic bottles also usable as a soap

ST10-007006 Lavender Sachets Can be accomplished with personalized stickers

and can also be produced from different

ST10-007007 All Inclusive Box Shower Cap / Cotton Pads / Cotton Buds / Sewing Kit in caton box, all the others individually

for all other kinds of cosmetics. ST10-007003 Natural Hand Cut

ST10-011002 "White" Compact Set Shower Cap / Sewing kit / Vanity Sat / Hygiene Kit / Bath Salt / Dental Kit enclosed in aiso. Condom and Plastic Comb / Shaving Kit / Soap 50 gr in box soap 50 gr ovalic.

ST10-011003 With Alternative Choices Sanitary Bag / Shoe Mit / Shoe Shine Sponge / Hand Cut 2 X 20 gr Grooved Soaps to be replaced accordingly. Packed individually and available as personalized carton boxes.

ST10-011004 Plexiglass Amenity Tray Designed in accordance to the contents to meet all your basic needs. Can also be produced as personalized and due to the requested items.

30

# AEB GUEST AMENI

Shampoo 35 mi Shower Get 35 mi Hair Conditioner 35 mi Body Lotion 35 mi

Soap / Sewing Kit / Dental Kit Shower Cap / Cotton Buds / Cotton Pads Shoe Mitt / Wooden Pack for Cosmetic Bottles / Wooden & Plexi Amenty Tray



Scap Bridge form 20 gr Scap Bridge form 30 gr Scap Bridge form 50 gr Shampoo 35 ml Bath Foam 35 ml Matchbox 14 pcs Shower Cap Nail File Sewing Kit Comb

ST10-131000

ST10-142000



Shampoo / Shower Gel / Hair Conditioner / Bath Foam / Body Lotion / Massage Oil / Massage Lotion / Firming Lotion / Facial Fluid Gel Cleanser / Hydrating Cleansing Milk / Claritying Toner / Moisturizing Cream / Foot Cream / Foot Heel Cream

\$T10-023001 Cubic Form 24 ml \$T10-023002 Cubic Form 53 ml \$T10-023003 Cubic Form 53 ml \$T10-023004 Rectangular Form 40 ml \$T10-023005 Rectangular Form 57 ml \$T10-023005 Cylindrical Form 35 ml \$T10-023006 Cylindrical Form 35 ml \$T10-023008 Grooved Form 42 ml \$T10-023008 Grooved Form 67 ml \$T10-023010 ST Form 42 ml \$T10-023010 ST Form 42 ml

ST10-153000

Shampoo / Shower Gel / Hair Conditioner / Bath Foam / Body Lotion / Massage Oil / Massage Lotion / Firming Lotion / Facial Fluid Gel Cleanser / Hydrating Cleansing Milk / Clarrfying Toner / Moisturizing Cream / Foot Cream / Foot Heel Cream

\$T10-024001 Square Form 27 mi \$T10-024002 Square Form 27 mi \$T10-024003 Rectangular Form 32 mi \$T10-024004 Rectangular Form 45 mi \$T10-024004 Rectangular Form 28 mi \$T10-024005 Rectangular Form 28 mi \$T10-024006 Rectangular Form 28 mi \$T10-024007 Cylindrical Form 30 mi \$T10-024008 Cylindrical Form 37 mi \$T10-024008 Cylindrical Form 37 mi \$T10-024008 Cylindrical Form 28 mi






Shampoo / Shower Gel / Hair Conditioner / Bath Foam / Body Lotion / Massage Oil / Massage Lotion / Firming Lotion / Facial Fluid Gel Cleanser / Hydrating Cleansing Milk / Clentying Toner / Moisturzing Cream / Foot Cream / Foot Heel Cream

\$T10-025001 Funnel Form 32 ml \$T10-025002 Funnel Form 56 ml \$T10-025003 Cylindrical Form 38 ml \$T10-025004 Rectangular Form 38 ml \$T10-025006 Valle Form 30 ml \$T10-025006 Cyalle Form 30 ml \$T10-025006 Cyalle Form 31 ml \$T10-025007 Cylindrical Form 29 ml \$T10-025008 Cylindrical Form 54 ml


# AEB GUEST AMENITIES



# AEB GUEST AMENITIES





# AEB GUEST AMENITIES














Terry Towel / Closed Toe Personalized with

en print or embroidery.



625.170



Natural Colour Terry Towel / Closed Toe

Personalized with silkscreen print or

Personalized with silkscreen print

embroidery.

625.166

625.171







625,173

Terry Towel / OpenToe Personalized with

silkscreen print or embroidery.

625.158









Terry Towel / Closed Toe Personalized with

silkscreen print or embroidery.

625, 159















### **AEB Spa Herbal Products**











# AEB TELEADAPT

### **AEB Teleadapt Connectivity Solutions for the Hospitality Industry**

TV by accessing this simple connection hub for their lanton (Pod®'A8) MP3. DVD player. Playstation®'A8. Xbox@'A8, digital camera, and digital video camera. turning the hotel room television into a viewing

Your quests can take full. The sleek MediaHub™AA. For today's sawy business. This USB (5v) power port Whether traveling for advantage of their room's bezel comes in a black or traveler the ability to business or pleasure. provides your quests with silver finish, allowing you connect a lanton is such quests with high definition a convenient way to reto customize it to a necessity, it's often a equipment will appreciate charge cell phones, iPods; compliment any hotel deciding factor in the ability to turn their hotel Phones and other room decor. choosing a hotel. television into a high portables. definition viewing screen. AUDIO / VIDEO AUDIO / PC HDMI POWER (5V) 0

### **Connectivity Without Renovation**

- . The MediaHub is compatible with most hotel room televisions
- · All-in-one connectivity panel for all of your quest's electronic devices
- . It's easy to install, no costly renovation required
- · Sleek, aesthetically pleasing compact design
- · Prevents quests from tampering with existing TV connections
- · Available in desktop or in-wall models. or specially designed bracket, which suspends the MediaHub directly below the television
- . UL and CE certified so it can be employed worldwide
- · Elegant five-star aesthetics at an affordable price
- USB charging port for portable electronic devices

### **Wireless Connectivity Solutions**

#### Wireless Connectivity with DeskPoint™ When You're Wired but You Also Need Wireless

The DeskPoint product line is the industry's simplest solution for adding Wi-Fi to existing Ethernet wired rooms. It eliminates the need for the costly retrofitting usually required for wireless. These units can all be web remote managed, which means greatly reduced engineering service calls. Just plug the DeskPoint into an existing Ethernet wall lack to instantly provide multiple Internet access connections throughout the room for quests with Wi-Fi laptops. The DeskPoint also includes a single wired connection for those guests without Wi-Fi, therefore providing both in a single unit.



### DeskPoint Retractable TA-6900

Provides wireless access throughout the guestroom, plus a 1.8m (6 ft) retractable slim. ine cable for guests without Wi-Fi. Can be customized with your property's logo



### DeskPoint RJ45 TA-7900

Provides wireless access throughout the guestroom, and an Ethernet connection socket for guests who provide their own cable. Customize this product with your logo as well.



### DeskPoint Under Desk TA-8000

For a more hidden option, this compact model mounts under the desk, providing wireless access throughout the room. and an Ethernet connection

### MediaHub™ General Specifications

#### TA-7600S

Passive: Input switching via channels or input button on remote control. Extends most commonly used Audio/Video ports to convenient location. 3.5 m cable sets

Ports: Composite Audio/Video, S-Video, Mini Stereo Jack, VGA (RGB), HDMI, USB (5v) power.

Outside Bezel Dimensions: 214 x 84 mm (8.43" x 3.31")

Wall Cut-Out Dimensions: 186 x 70 mm (7.24" x 2.68")

#### TA-7610S

Active: Auto sensing and switching of inputs. Extends most commonly used Audio/Video ports to convenient location. 3.5 m cable sets included.

Ports: Composite Audio/Video, S-Video, Mini Stereo Jack, VGA (RGB), HDMI, USB (5v) power.

Serial Link: Links to TV or STB serial port. Smartport and RS232 cables included.

Outside Bezel Dimensions: 214 x 84 mm (8.43" x 3.31")

Wall Cut-Out Dimensions: 186 x 70 mm (7.24" x 2.68")

#### **DTH-S01**

Desktop Housing: Sold separately for both TA-7600S and TA-7610S, converts wall mount to desktop

Dimensions: 260 x 90 x 85 mm (10.25)

#### Wireless Connectivity with DeskBridge™ When You're Wireless but You Need Wired

What do you do if your property is all wireless, but many of your guests just aren't Wi-Fi enabled? The solution is DeskBridge. This exciting technology works by taking your property's wireless signal, and converting it to an Ethernet cable. It's a simple solution to a once complicated problem.



#### DeskBridge G TA-6410

Provides a wired connection point for wireless networks by converting the wireless signal to an Ethernet cable. It comes with a retractable 0.8m (2.5 ft) slim line cable, providing simple plug-and-play Internet access for laptops without Wi-Fi technology.



#### TravelBridge G TA-6450

This unit mounts easily under a table or desktop. It provides a wired connection point for guests without wireless capability by converting the hotel's wireless signal to an Ethernet cable. This product eliminates the need to provide hard wired access points to

## A PRIFATAP

### **AEB Teleadapt Connectivity Solutions for the Hospitality Industry**

### **Wired Connectivity Solutions**

#### Wired Connectivity Pull-Through™ and Retractable DeskHubs

Our complete line of Pull-Through and Retractable products are designed to provide easy, yet aesthetically pleasing methods for holding an Ethernet cable securely in place on tables or desktops. Instead of quests searching the walls for Internet access, our products provide an instantly recognizable Internet access point. The high visibility, and high tech design of these products make it easy to increase revenue through inroom charges, most guests are happy to pay for such easy access. You'll also reduce engineering service calls for lost, stolen or disconnected cables. The Pull-Throughs work by sliding the Ethernet cable through the holder, allowing the guest to utilize as much or as little cable as needed. Our Retractable models have a retractable slim line cable built in, so it pulls out to connect, and retracts back in place when done. A 1.8m (6 ft) CAT5e Ethernet cable, which connects the unit to the Ethernet wall socket, is included with every unit.



### Pull-Through Pro TA-7300

A stylish compact solution to in-room cable management. The unit is weighted so it stays in place when the cable is pulled. This product can be silkscreened with your property's



Pull-Through Access Point™ TA-6300

This product offers a low-cost solution to in-room cable placement. It's unique clam shell design allows the cable to slide easily while keeping the unit in place. Front label area can be customized with your property's logo.



MiniAccess Point™ TA-6100

Now you can quickly relocate the Ethernet plug-in socket from the wall to the desktop, making the Internet access point easy to find, and even easier for your

### DeskSpool™ Pro TA-7000

This unique, stylish design offers the same great features as the DeskSpool, but with a longer retractable 1.8 m (6 ft) slim line 80cm Ethernet cable. It is also heavily weighted to insure product stability when being used



### DeskSpool™ TA-6000

This product creates an instantly recognizable Ethernet connection point for your guest. It features a retractable 0.8 m (2 ft) slim line 80cm Ethernet cable, which retracts back when the guest is finished. Special security features extremely difficult.

### **Retail Products**

Every hotel quest knows the frustration of arriving at their destination to find they haven't packed some needed accessories for their electronic devices. Maybe it's a cable, or a USB drive, or even their digital camera. Now you can be a hero, and provide an additional revenue stream for your hotel at the same time. TeleAdapt offers a wide range of connectivity accessories for the laptop, PDA or mobile phone user. Ideal for sale through the mini-bar, room service or from the concierge, our products have proven to be a popular answer to an on-going guest problem. We can even customize our product packaging, and many of the actual products, to feature your logo and property branding, providing a product line uniquely yours.



### **Power Connectivity**

and without costly renovation. Choose from your quests.

Today's hotel quests arrive with every type our stylish desktop models, including the of electronic device imaginable, and guess. Affinity, which mounts flush with the desktop what? They need a place to plug them in. and closes when not in use, providing more They need power sockets, audio jacks, desk space and a cleaner look. Maybe and data connections, and they don't want, you're looking for something completely to have to search for them. Today's hotels out of sight, if so, our under the desk mount need a practical solution for their power Conti is just the choice. Best of all, you and data needs. TeleAdapt's choose the power and data outlet PowerHub™AA line has just the solution, configuration that works best for you and









# **AER T-TIME & COFFEE AUTOMAT**

### **AEB T-Time Wooden Wellcome Tray**

### T-Time, BRK-039, Beech Wood Welcome Tray



#### **T-Time Specifications**

Turkish designed, luxury welcome tray

500 mm (length)

320 mm (depth)

30 mm (height)

elegant welcome tray; space saving and easy to use

### Kettle: AEB, ALM-134

- Kettle power 1.800 Watt (220-240 volt / 50-60 Hz)
- · Kettle capacity 1 litre
- Kettle height 18,50 cm (diameter bottom 14 cm)
- Integrated stainless steel waterkettle (anti theft)
- Suitable for left & right handed guests, rotation 360°
- Covered heating element, stainless steel flat bottom
- · Cordless with safety wire for hotel use
- · Auto steam shut off, boil dry protection
- · Washable lime filter
- · Automatic opening button
- Customize options: size, shape, colour on request

#### **PACKING DETAILS**

- Carton sizes
   53 I x 43 d x 50 h
- Carton includes 6 sets of Hime Carton weight 26kg
- Container loading quantities 20' container 260 carton 1560 sets 40' container 440 carton 2640 sets 40' hq container 550 carton 3300 sets

### **AEB, Coffee Vending Machine for Instant Coffee**

#### AEB ALM-0098 Table top vending style instant coffee machine

#### Specifications

- Drink Selections; Coffee, Hot Water, Coffee Milk
- 450 cup production speed in one hour, Mains water fed (needs plumbing), Connection hose included
- 220 Volt, 27,3 A (Max)
- Stainless Steel Water Tank and Body, Self Washing and Cleaning
- · Full audit facility
- Product Mixing and Measurer, Programming in grams
- W26 x D46,5 x H67,5 cm
- Heat control between 0-95 Centigrate Celcius
- 2 pcs Product Storage, Net weight 26 kg

#### AEB ALM-0099 Table top vending style instant coffee machine

#### Specifications

- Drink Selections; Coffee, Hot Water, Coffee Milk, Espresso, Hot Chocolate, Cappucino
- 450 cup production speed in one hour, Mains water fed (needs plumbing), Connection hose included
- 220 Volt, 27,3 A (Max)
- Stainless Steel Water Tank and Body, Self Washing and Cleaning
- · Full audit facility
- Product Mixing and Measurer, Programming in grams
- W26 x D46.5 x H67.5 cm
- Heat control between 0-95 Centigrate Celcius
- 3 pcs Product Storage, Net weight 26,5 kg







# A B TV LIFT & SUNBEAM

## Sunbeam.

### **AEB Sunbeam**

## **AEB TV-Lift Cabinet Systems**













**BRK 091 Lift Mechanism** Screen Size Between 22" / 32" LCD TV Max. Lifting Capacity 50 kg Lifting Length 460 / 750 mm Speed 25 mm / sec Remote Controller Included









BRK 090 Lift Mechanism

Screen Size Between 32" / 46" LCD TV Max. Lifting Capacity 100 kg Lifting Length 460 / 750 mm Speed 32 mm / sec Remote Controller Included

















Ironing Board Hanger











## AEB DORMA





## AER DORMA





## (I : B PARTITION

## **AEB Partition Walls**

AEB Partition Walls 530.001







AEB Office Partition Systems 530.002
















AEB Toilet Cubicle System 530.003


















### **Aluminium Shelve Systems**






































· Strong Aluminium Construction,

- · Lightweight
- No corrosion risk
- · Suitable for cold storage rooms, housekeepings, laundries
- · HACCP Compliant.
- · Superior quality anodized aluminum construction in 20µ precision.
- · Hygienic, removable, machine washable plastic shelving elements.
- · Perforated plastic shelving elements ensuring sufficent airflow.
- · Each leg with screw able adjusting feet to compensate floor unevenness.
- . Shelf load up to 200 kgs, max. Field load up to 600 kgs. max.
- · Color options of plastic tray is grey, red, blue and green

DIMENSIONS 36 cm Shelves				DIMENSIONS 46 cm Shelves					
90	×	36	×	160	90	×	46	×	160
100	×	36	×	160	100	×	46	х	160
110	×	36	×	160	110	×	46	×	160
120	x	36	×	160	120	×	46	х	160
130	×	36	×	160	130	×	46	x	160
140	×	36	×	160	140	х	46	×	160
150	×	36	×	160	150	×	46	х	160
160	×	36	×	160	160	×	46	×	160
170	х	36	×	160	170	×	46	x	160

# AEB COLD ROOM

### **Modular Cold Rooms**









## **Cooling Units**



Commercial Series Refrigeration Systems



Open Condensing Systems



Commercial Series Refrigeration Systems



Commercial Series Refrigeration Systems











Shock Freezing Systems





 DESCRIPTION

 AEB Modular Cold Rooms
 390,001

 AEB Panel Locking System
 390,002

 AEB Sliding Door
 390,003

 AEB Standard Door
 390,004

 AEB Refrigerated Mini Cabin, 1.4 m³
 390,005

 AEB Refrigerated Mini Cabin, 2.8 m³
 390,006

 AEB Refrigerated Mini Cabin, 4.2 m³
 390,007

Panel Locking Systems

59

## **AEBMINIBAR**

### **AEB Wine Coolers**

BRK 375CW 328.009



BRK 375CH 328.010



BRK 60W 328.011

### **Wine Coolers**

Models	Unit	BRK 60 W	BRK 375 W	BRK 375 CW		
Gross Volume	Liters	60 375		375		
Net Volume	Liters	58	350	350		
External Dimensions	mm	482×505×570	590x600x1675	590x600x1840		
Internal Dimensions	mm	412x285x492	510x470x1565	510x470x1565		
Packaging Dimensions	mm	505×527×620	610x650x1755	610x650x1920		
Bottle Capacity	pcs	18	152	152		
Gross Weight	kg	18	77	84		
Net Weight	kg	17	73	80		
External Surface		Galvanized Prepainted Steel 0.5 mm				
Inner Surface		ABS				
Isolation Density	kg/m³	Rigit PU 40 -44				
Climate Class		4 C				
Temperature Range	00	+ 10 / + 16 + 4 / + 18				
Energy Consumption (24h)	kWh	1/4	2.5	2.6		
Power	Watt	75	310	310		
Voltage-frequency			220-240 V / 50 Hz			
Internal Light (horizontal)		NA	Optional	Optional		
Refrigerant (R134a)	gr	NH3 / 170	160	160		
Condenser			Static	Static		
Evaporator		absorption	Roll-Bond	Roll-Bond		
Adjustable Wooden Shelf	pcs	2	4	4		
Lock		Optional	Optional	Optional		
Thermometer		Extra	Extra	Extra		
Loading Quantity 20' Container	pcs	168	27	27		
Loading Quantity 40' Container	pcs	352	57	57		
Loading Quantity 40' HC Container	pcs	368	57	57		
Loading Quantity TIR 13,60m	pos	416	84	84		

- · Self Closing Door is our standart
- · Adjustable feet or roller alternative
- · Fan assisting cooling
- · Customised sticker application
- · Adjustable thermostat

- · Double Glazed Safety Glass Door
- · Optional door handle
- · Optional light switch
- · Optional vertical light
- · Ozone friendly refrigerant (R 134a)

### Wisi Coolers

Models	Unit	ALM 375 CH	ALM 375 C	ALM 375 S		
Gross Volume	Liters	60	375	375		
Net Volume	Liters	58	350	350		
External Dimensions	mrn	590x600x1840	590x600x1715	590x600x1675		
Internal Dimensions	mm	510x470x1565	510x470x1565	510x470x1568		
Packaging Dimensions	mm	610x650x1920	610x650x1795	610x650x1755		
Bottle Capacity	pcs	399	399	399		
Gross Weight	kg	84	79	77		
Net Weight	kg	80	75	73		
External Surface		Galvanize	d Prepainted Ste	el 0.5 mm		
Inner Surface			ABS			
Isolation Density	kg/m³	Rigit PU 40 -44				
Climate Class			4 C			
Temperature Range	0.0	+ 2 / + 10				
Energy Consumption (24h)	kWh	2.8	2.7	2.6		
Power	Watt	310	310	310		
Voltage-frequency	220-240		220-240 V / 50 H	0 V / 50 Hz		
Internal Light (horizontal)		Standart	Shared with canopy	Standart		
Light Switch		Standart	Optional	NA		
Refrigerant (R134a)	gr	160	160	160		
Condenser		-Static-	Static	Static		
Evaporator		Roll-Bond	Roll-Bond	Roll-Bond		
Adjustable Wooden Shelf	pcs	4	4	4		
Lock		Optional	Optional	Optional		
Thermometer		Extra	Extra	Extra		
Loading Quantity 20' Container	pcs	27	27	27		
Loading Quantity 40' Container	pcs	57	57	57		
Loading Quantity TIR 13,60m	pcs	84	84	84		

- No vibration, silent househeld (KMB 60 W)
- Wooden pattern steel body
- · Adjustable feet or roller alternative
- Optional an assisting cooling /KBC 375 C W)
- · Customised sticker application
- · Special coloured glass
- · Double Glazed Safety Glass Door
- · Optional door handle
- Ozone friendly refrigerant (R 134a)



ALM 375C 328.012



ALM 375CH 328.013



ALM 375S 328.014

## **AEBWINIBAR**

## **AEB Counter Top Coolers**

### **Counter Top Coolers**



BRK 25C 328.015



BRK 50C 328.017

Models	Unit	BRK 25 C	BRK 50 C	BRK 60 C	BRK 100 C		
Gross Volume	Liters	20	51	58	91		
Net Volume	Liters	18	50	56	90		
External Dimensions	mm	324x345x530	430x425x740	485x510x575	497x505x840		
Internal Dimensions	mm	250×251×300	337x320x475	370x350x448	425x395x565		
Packaging Dimensions	mm	354x412x580	440x445x795	560x565x650	520x530x890		
Bottle Capacity	pcs	24	55	55	84		
Grass Weight	kg	21	30	33	41		
Net Weight	kg	19	28	31	38		
External Surface		Galvanized Prepainted Steel 0.5 mm					
Inner Surface		ABS					
Isolation Density	kg/m³						
Climate Class		4 G					
Temperature Range	0 C	+ 2 / + 8					
Energy Consumption (24h)	kWh	0.8	1.1	1.2	1.5		
Power	Watt	100	150	185	225		
Voltage-frequency		'					
Internal Light (horizontal)		Shared with canopy	Standart	Standart	Standart		
Refrigerant (R134a)	gr	50	60	60	90		
Condenser		Static	Static	Static	Static		
Evaporator		Roll-Bond	Roll-Bond	Roll-Bond	Roll-Bond		
Adjustable Shelf	pcs	9	ż	2	2		
Thermometer		Extra	Extra	Extra	Extra		
Loading Quantity 20' Container	pcs	340	195	120	112		
Loading Quantity 40' Container	pcs	696	405	252	236		
Loading Quantity TIR 13,60m	pcs	812	405	336	236		

- · Adjustable feet or roller alternative
- · Fan assisting cooling
- · Customised sticker application
- · Adjustable thermostat
- Alternatively electrostatic powder paint steel
- · Double Glazed Safety Glass Door
- · Built-in door handle
- · Optional light switch
- Ozone friendly refrigerant (R 134a)
   \*This model has also \*painted steel inner liner" option



BRK 60 328.016




BRK 100C 328.018


# A EB OUTDOOR FURNITURE



# A ES OUTDOOR EURNITURE




# A EB OUTDOOR FURNITURE



## AEB VIKO SWITCHES





Note; Please ask full catalogue of the complete series.

## VitrA




























## VitrA







A 44985 Toilet Brush




A 44986 Toilet Paper Holder



A 44988 Toilet Paper Spare Holder





Neon Bathtub 170x70cm With Siphone and Leg Set



5302-5316 Basin



5302-6936 Basin




5318 WC





6069 Basin



Harmony Square Shower Tray 90x90cm

## AEB HOTEL TEXTILE



